

Index 索引

(英文术语, 中文术语, 英文教科书页码)

A

ABC features, 计算思维三特征, 9
absolute file name, 文件绝对路径, 206
abstract computer, 抽象计算机, vii, xi
Abstraction, 抽象, xiii, 191-213
Access Point (AP), 无线接入点, 255
accumulator, 累加器, 64
Acu-Exams, 计算思维八理解, 14
address, 地址, 64, 185
Addressing Mode, 寻址模式, 201-206
algorithm, 算法, 1, 132
Algorithmic thinking, 算法思维, 15, 131
ALU, 算术逻辑单元, 61
Amdahl's Law, 阿姆达尔定律, 234-241
analog values, 模拟值, 41
antivirus software, 杀毒软件, 282
application layer, 应用层, 266
application software, 应用软件, 227
array, 数组, 52-53, 198-200
ASCII, 美国信息交换标准代码, 47
assembly language, 汇编语言, 64
assignment, 赋值, 54
asymptotic notation, 渐近记号, 136
Automata, 自动机, 104-115
Automatic execution, 自动执行, xiii, 9
average case, 平均情况, 162
average time complexity, 平均时间复杂度, 167
axiomatic systems, 公理系统, 103

B

Babbage's problem, 巴贝奇问题, 25
bandwidth, 带宽, 275
barber paradox, 理发师悖论, 120
base register, 基址寄存器, 64
Batch, 批式, 28
bees metaphor, 蜜蜂隐喻, xiii
Bell's law, 贝尔定律, 27
benchmarks, 基准程序, 187
best case, 最好情况, 162
big endian, 大端, 185
binary, 二值、二进制, 43-46, 61
binary search, 二分搜索, 165
Binet's formula, 比内公式, 10-11
BIOS, 基础输入输出系统, 228
bit, 比特, 1, 10
Bit accuracy, 比特精准, 10
bit-shift, 移位操作, 96
BMP, 一种图像格式, 207
Boolean algebra, 布尔代数, 85
Boolean expressions, 布尔表达式, 85

Boolean function, 布尔函数, 85
Boolean Logic, 布尔逻辑, 82-104
bottleneck, 瓶颈, 235
broadcasting, 广播, 262
Bubble Sort Algorithm, 冒泡排序算法, 134-136
Bugs, 错误, 6
bus, 总线, 261
Bush's problem, 布什问题, 25
business computing, 企业计算, 29
byte, 字节, 47, 53, 199
byte-addressable, 字节寻址的, 42

C

cache, 高速缓存, 62, 236
Caesar cipher, 凯撒密码, 282
camel notation, 驼峰符号法, xviii
certificate authority, 证书授权中心, 285
character, 字符, 47, 198-200
Church-Turing Thesis, 邱奇-图灵论题, 116
Circuit switching, 线路交换, 263
client, 客户、客户端, 26, 255
clock cycle, 时钟周期, 220, 230
clock frequency, 时钟频率, 220
cloud computing, 云计算, 28
code, 代码, 2, 5
COG properties, 抽象三性质, 191
combinational circuit, 组合电路, 214-217
command-line prompt, 命令行提示符, 49
comments, 注释, 4
Compilation, 编译, 5
compile-time errors, 编译时错误, 6
Complexity class NP, 算法复杂度的NP类, 175
Complexity class P, 算法复杂度的P类, 175
Computability, 可计算性, 115
computable problem, 可计算, 116
computational lens, 计算透镜, 30
computational process, 计算过程, 1
Computational Thinking, 计算思维, 8-19, 30-31
computer application, 计算机应用, vii, xi
Computer Science, 计算机科学, 1-38
Computer simulation, 计算机模拟, 24
Computer System, 计算机系统, 5
computer virus, 计算机病毒, 279
conditional, 条件语句, 212
conjunctive normal form, 合取范式, 87
Connectivity, 连通性, 253, 256-262
Consistency, 一致性, 120
constant, 常数, 52
constrained, 受限, 192
Constructive abstraction, 构造性抽象, 12
constructs, 结构, 58
consumer computing, 消费者计算, 29
context, 上下文, 213

contrapositive, 逆反命题, 94
 control abstractions, 控制抽象, 183, 192, 212-213
 converse, 逆命题, 94
 correctness, 正确性, xiii, 81
 CPU, 中央处理器, 61
 creative expression, 创造性表达, xi
 crossbar switch, 交叉开关, 261
 cryptography, 密码学, 285
 current directory, 当前目录, 206
 Cyberspace, 赛博空间, 2

D

D flip-flop, D触发器, 220
 data, 数据, 2, 213
 data abstractions, 数据抽象, 183, 192-212
 data cache, 数据高速缓存, 236
 Data compression, 数据压缩, 276
 data link layer, 数据链路层, 265
 data representation, 数据表示, 185-186
 data types, 数据类型, 51, 192
 Decidability, 可判定性, 120
 decimal, 十进制, 43-46
 Decryption, 解密, 282
 denial-of-service attack (DOS), 拒绝服务攻击、阻断服务攻击, 281
 dereference, 解引用, 201
 dictionary, 字典, 163
 digital certificate, 数字证书, 285
 digital economy, 数字经济, 20
 digital infinity hypothesis, 数字无穷性假说, xiii
 digital symbol, 数字符号, 1
 Digital Symbol Manipulation, 数字符号操作, 41-80
 digit, 数位、数字, 1, 193-194
 directory, 目录, 206
 discretization, 离散化, 41
 disjunctive normal form, 析取范式, 86
 distributed denial-of-service attack, 分布式拒绝服务攻击, 281
 Divide-and-Conquer Algorithms, 分而治之算法, 138-151
 DNS, 域名服务, 257
 documentation, 文档, 57
 domain name, 域名, 257
 dot notation, 点记号, xviii
 Dynamic networks, 动态网络, 261
 dynamic programming, 动态规划, 59, 151-154
 dynamic webpage, 动态网页, 269

E

edges, (网络的)边, 256
 embedded system, 嵌入式系统, 27
 encoding, 建模, 2
 encryption, 加密, 282
 enterprise computing, 企业计算, 29
 Entscheidungsproblem, 判定问题, 117
 Evolutionary networks, 演化网络, 261
 exceptions, 异常, 234
 exclusive-or, 异或, 84
 exponent, (浮点数的)指数部分, 195
 expression, 表达式, 54

F

Fibonacci Computer, 斐波那契计算机, 63, 225
 Fibonacci numbers, 斐波那契数, 9
 File Abstraction, 文件抽象, 206-212
 file system, 文件系统, 206
 finite automaton, 有限自动机, 106
 Finite states, 有限状态, 114
 firewall, 防火墙, 282
 firmware, 固件, 228
 flip-flops, 触发器, 217
 floating-point number, 浮点数, 195-197
 FLOPS, 每秒浮点运算, 187
 for loop, for循环, 53, 212
 formatting verbs, 占位符, 51
 full adder, 全加器, 90, 216
 full-duplex, 全双工, 262
 function, 函数, 5, 58-59, 212-213

G

gates, 门、门电路, 214
 gateway, 网关, 256
 GDPR, 欧洲数据保护法规, 286
 generalizable, 可泛化, 192
 Gödel's Incompleteness Theorems, 哥德尔不完备定理, 120
 gold metaphor, 22
 Goodstein theorem, 古德斯坦定理, 123
 graph, 图, 256
 graph coloring problem, 图着色问题, 177
 greatest common divisor, 最大公因子, 134
 Greedy Strategy, (设计算法的)贪心策略, 154-159
 GUI, 图形用户界面, 28

H

halting problem, 停机问题, 117
 Hamiltonian path problem, 汉密尔顿路径问题, 177
 Harvard architecture, 哈佛体系结构, 233
 Hash search, 哈希搜索, 167-173
 hashing, 哈希, 167
 heap, 堆, 213
 hexadecimal, 十六进制, 45
 high-level language program, 高级语言程序, 5
 Hockney's formula, 霍克尼公式, 275
 home directory, 主目录, 206
 homepage, 网站首页, 260
 Host, 宿主机, 255
 HTTP, 超文本传输协议, 260
 HTTPS, 安全超文本传输协议, 260, 285
 Hub, 集线器, 255
 hypertext, 超文本, 27

I

I/O devices, 输入输出设备, 61, 63, 186
 Incomputable Problems, 不可计算问题, 117-120
 index, 索引, 53, 64, 193
 index register, 索引寄存器, 64
 indirect addressing, 间接寻址, 201

inference rules, 推理规则, 103
 information and communication technology (ICT), 信息与通信技术, 20
 information hiding principle, 信息隐藏原理, 183, 215
 information society, 信息社会, 21
 information technology (IT), 信息技术, 20
 infrastructure software, 基础软件, 227
 Insertion Sort Algorithm, 插入排序算法, 139-140
 instruction cache, 指令高速缓存, 236
 instruction cycle, 指令周期, 230
 Instruction driven, 指令驱动, 62
 instruction pipeline, 指令流水线, 224
 Instruction Register (IR), 指令寄存器, 235
 instruction set, 指令集, 64, 224
 integer, 整数类型, 198
 Integer Multiplication, 整数乘法, 146
 Interactive, 交互式, 28
 Internet, 互联网、因特网, 253, 257
 interpreter, 解释器, 6
 inverse, 否命题, 94
 IP address, IP地址, 257
 IPv4 addresses, IPv4地址, 258
 IPv6 addresses, IPv6地址, 258
 ISP, 互联网服务提供商, 255
 IT industry, 信息产业, 20
 IT professionals, 信息技术专业人员、计算机专业专业人员, 21

K

Keck's law, 凯克定律, 23
 keys, 键, 282
 Kleene algebra, 克莱因代数, 91
 Kleene expressions, 克莱因表达式, 91
 Kleene function, 克莱因函数, 93
 Kleene logic, 克莱因逻辑, 91-93
 Knuth's Characterization of Algorithm, 高德纳算法定义, 132-134
 Knuth's Test, 高德纳测试, xvi, 18

L

latency, 延迟、延时, 275
 liar paradox, 说谎者悖论, 119
 linear search, 线性搜索, 164
 little endian, 小端, 185
 local area network (LAN), 局域网, 254
 locality, 局部性, 236
 Logic thinking, 逻辑思维, 15, 81-129
 loop, 循环, 52
 loop body, 循环体, 54
 loopback domain name, 回环域名, 260
 loopback IP address, 回环IP地址, 260
 Lossless compression, 无损压缩, 276
 Lossy compression, 有损压缩, 276
 Low-level language program, 低级语言程序, 6

M

machine code, 机器代码, 二进制代码, 5

Magic numbers, 魔数, 56
 main memory, 内存, 62
 make, Go语言提供的make函数, 199
 Manipulation, 操作、操纵, 1
 Mantissa, 浮点数中的尾数部分, 195
 MAR, 内存地址寄存器, 235
 Matrix Multiplication, 矩阵乘法, 148-150
 MDR, 内存数据寄存器, 235
 Mechanical Theorem Proving, 定理自动证明, 104-105
 memory cell, 内存单元, 218-219
 Merge Sort Algorithm, 归并排序算法, 140-143
 messages, 消息, 263
 metadata, 元数据, 207
 Metcalfe's law, 梅特卡夫定律, 277-279
 metropolitan area network (MAN), 城域网, 254
 middleware, 中间件, 227
 Mobile Internet, 移动互联网, 28
 modeling, 建模, 2
 Modularity, 模块化, xiii
 modules, 模块, 183, 190
 Modularization, 模块化, 214-228
 Moore's law, 摩尔定律, 23
 Morris worm, 莫里斯蠕虫, 288
 Motherboard, 主板, 62
 multicore, 多核, 63
 Multimedia, 多媒体, 28
 multiplexer, 多路选择器, 217

N

namespace, 名字空间, 256-257
 naming, 命名, 256
 negation, 取非, 94
 negation properties, 针对量词的取非性质, 100
 network, 网络, 28, 254
 Network effect, 网络效应, 277
 network layer, 网络层, 266
 Network Thinking, 网络思维, 254-296
 Network Topology, 网络拓扑, 261-262
 networking devices, 组网设备, 255
 nodes, 节点, 254
 Nordhaus's law, 诺德豪斯定律, 22
 Normal forms, 范式, 86-87
 Normalized significant, 规格化浮点数中的有效数, 196
 NP-complete, NP完全, 178

O

object, 对象, 272
 offset, 偏移量, 64
 operations, 操作、运算, 1
 overflow, 溢出, 17

P

Packet switching, 分组交换、包交换, 263
 packets, 分组、消息包, 263
 Palindromes, 回文, 106
 parallel computing, 并行计算, 240

parity, 奇偶性, 96
 peak speed, 峰值速度, 238
 Peano Arithmetic, 皮亚诺算术, 121
 peering interface, 对等接口, 267
 persistence, 持久性, 206
 phishing, 钓鱼网站、钓鱼邮件, 281
 physical layer, 物理层, 265
 pixel, 像素, 207
 Pointer, 指针, 201-206
 positional number systems, 位置计数系统、按位记数制, 193
 Postel's Robustness Principle, 波斯特鲁鲁棒性原理, 211
 Precedence, 优先级, 212
 predicate, 谓词, 98
 Predicative Logic, 谓词逻辑, 98-104
 prime factorization problem, 素数分解问题, 284
 Princeton architecture, 普林斯顿体系结构, 233
 Principle of Harmony, 扬雄和谐原理, 30
 privacy, 隐私, 285
 private key, 私钥, 282
 Problem Solving, 解题、问题求解, 1-8
 process, 进程, 188
 processor, 处理器, 61
 program, 程序, 1
 program counter (PC), 程序计数器, 64
 program cycle, 程序周期, 230
 program status register, 程序状态寄存器, 64
 Programming, 程序设计、编程, 3
 proposition, 命题, 83
 Propositional Logic, 命题逻辑, 83-97
 protocol stack, 协议栈, 253, 263
 public-key encryption, 公钥加密, 295

Q

quantifiers, 量词, 99
 quicksort, 快速排序, 160

R

Randomization Strategy, 随机化策略, 160
 reducible, 可归约, 116
 redundancy, 冗余, 268
 Reed's law, 里德定律, 277-279
 relative file names, 相对文件名, 207
 representation, 表示, 42
 Responsible Computing, 负责责任的计算, 274-288
 RFCs, 互联网标准文档, 257
 ripple-carry adder, 波纹加法器, 216
 root directory, 根目录, 206
 rounding error, 舍入误差, 14
 routers, 路由器, 255
 RSA method, 公钥加密的RSA方法, 282
 runtime errors, 运行时错误, 6
 Russell's paradox, 罗素悖论, 120

S

scientific computing, 科学计算, 29
 seamless execution, 无缝执行, 183, 190

seamless transition, 无缝衔接, xiii, 228
 Search Algorithms, 搜索算法, 163-173
 search engine, 搜索引擎, 262
 Selection, 选择, 212
 Sequencing, 顺序, 212
 sequential circuit, 时序电路, 217, 220-221
 sequential computers, 串行计算机, 240
 Serial adder, 串行加法器, 221-224
 Serial execution, 串行执行, 62
 server, 服务器, 255
 service interface, 服务接口, 267
 shell, (操作系统的)外壳、命令行界面, 7, 50
 significant, (浮点数的)尾数部分, 195
 Simulation, 模拟, 24
 Single Factor Optimization, 单因素优化, 143-146
 slice, 切片, 58-59, 198-200
 software stack, 软件栈, 227
 Sorting Problem, 排序问题, 134-136
 spams, 垃圾邮件, 281
 Spatial locality, 时间局部性, 188
 speedup, 加速比, 234
 spyware, 间谍软件, 282
 stable matching problem, 稳定匹配问题, 155
 stack, 栈, 188, 213
 Standard Error, 标准错误, 50
 Standard Input, 标准输入, 50
 Standard Output, 标准输出, 50
 state circuit, 状态电路, 217
 state transition, 状态转移, 63
 state-transition diagram, 状态转移图, 106
 state-transition table, 状态转移表, 106
 statement, 语句, 5
 Static networks, 静态网络, 261
 Steps, 步骤, 131-132
 stored program architecture, 存储程序计算机体系结构, 60
 Strassen's algorithm, 施特拉森算法, 149
 string, 符号串、字符串, 52-53
 subtractor, 减法器, 221-224
 supercomputers, 超级计算机, 187
 sustained speed, 实际速度, 238
 Switch, 交换机, 255
 symmetric-key encryption, 对称加密, 282
 synchronous sequential circuits, 同步时序电路, 224
 system heterogeneity, 系统异构性, 190
 system organization, 系统组成, 190
 system scale, 系统规模, 190
 system software, 系统软件, 227
 system variation, 系统变异, 190
 Systems thinking, 系统思维, 15, 183-251

T

TCP/IP protocol stack, TCP/IP协议栈, 265
 Temporal locality, 时间局部性, 187
 text, 文本、(进程的)代码段, 213
 Time complexity, 时间复杂度, 138
 TLS, 传输层安全协议, 285
 topology, 网络拓扑, 261
 transport layer, 传输层, 266
 Trojan horses, 特洛伊木马, 282

Truth table, 真值表, 84
 Turing computable, 图灵可计算, 116
 Turing machine, 图灵机, 104-115
 Turing Test, 图灵测试, 29
 Turing's problem, 图灵问题, 28
 two's complement, 二进制补码, 46
 type cast, 类型转换, 54

U

uint8, 8位无号数, 53, 199
 Unicode, 统一码、万国码, 192
 unsigned integer, 无号整数、自然数, 46
 URL, 统一资源定位符, 260
 usage mode, 使用模式, 28
 User Experience, 用户体验, 275
 UTF-8, 统一码转换格式-8, 198

V

variable, 变量, 52
 vertex, 图的顶点, 256
 Viral marketing, 病毒性市场, 279
 virtual worlds, 虚拟世界, 24
 von Neumann architecture, 冯诺依曼体系结构, 60

von Neumann bottleneck, 冯诺依曼瓶颈, 236
 von Neumann's Exhaustiveness Principle, 冯诺依曼穷尽原理,
 232-234
 VPNs, 虚拟私有网, 282

W

web address, 万维网地址, 260
 Web over Internet Stack, 由万维网和因特网组成的协议栈,
 263-269
 web resource, 万维网资源, 260
 wide area network (WAN), 广域网, 254
 WiFi router, WiFi无线路由器, 289
 Wonder of Cyberspace, 赛博之妙、虚拟之妙, 24
 Wonder of Exponentiation, 指数之妙, 22
 Wonder of Simulation, 模拟之妙, 21
 word, 字, 42
 word length, 字长, 17, 42
 World Wide Web, 万维网, 260
 worst case, 最坏情况, 162

Y

Yang's Cycle Principle, 扬雄周期原理, 229-230