

Index 索引

(英文术语, 中文术语, 英文教科书页码)

A

ABC features, 计算思维三特征, 25
absolute file name, 文件绝对路径, 222
abstract computer, 抽象计算机, 3, 5
Abstraction, 抽象, 8, 206
Access Point, 无线接入点, 268
accumulator, 累加器, 80
Acu-Exams, 计算思维八理解, 31
address, 地址, 80, 200
Addressing Mode, 寻址模式, 216
algorithm, 算法, 18, 147
Algorithmic thinking, 算法思维, 31, 146
ALU, 算术逻辑单元, 76
Amdahl's Law, 阿姆达尔定律, 249
analog values, 模拟值, 57
antivirus software, 杀毒软件, 295
application layer, 应用层, 278
application software, 应用软件, 242
array, 数组, 68, 69, 213
ASCII, 美国信息交换标准代码, 63
assembly language, 汇编语言, 79
assignment, 赋值, 69
asymptotic notation, 渐近记号, 151
Automata, 自动机, 120
Automatic execution, 自动执行, 8, 26
average case, 平均情况, 177
average time complexity, 平均时间复杂度, 183
axiomatic systems, 公理系统, 119

B

Babbage's problem, 巴贝奇问题, 42
bandwidth, 带宽, 288
barber paradox, 理发师悖论, 136
base register, 基址寄存器, 80
Batch, 批式计算, 45
bees metaphor, 蜜蜂隐喻, 8

Bell's law, 贝尔定律, 44
benchmarks, 基准程序, 202
best case, 最好情况, 177
big endian, 大端, 200
binary, 二值、二进制, 58, 76
binary search, 二分搜索, 179
Binet's formula, 比内公式, 27
BIOS, 基础输入输出系统, 242
bit, 比特, 18, 27
Bit accuracy, 比特精准, 27
bit-shift, 移位操作, 112
BMP, 一种图像格式, 222
Boolean algebra axioms, 布尔代数公理, 101
Boolean expressions, 布尔表达式, 101
Boolean function, 布尔函数, 102
Boolean Logic, 布尔逻辑, 98
bottleneck, 瓶颈, 249
broadcasting, 广播, 275
Bubble Sort Algorithm, 冒泡排序算法, 149
Bugs, 错误, 23
bus, 总线, 274
Bush's problem, 布什问题, 42, 44
business computing, 企业计算, 46
byte, 字节, 63, 69, 214
byte-addressable, 字节寻址的, 58

C

cache, 高速缓存, 78, 252
Caesar cipher, 凯撒密码, 295
camel notation, 驼峰符号法, 12
certificate authority, 证书授权中心, 298
character, 字符, 213
Church-Turing Thesis, 邱奇-图灵论题, 133
Circuit switching, 线路交换, 276
client, 客户、客户端, 43, 268
clock cycle, 时钟周期, 235, 245
clock frequency, 时钟频率, 235

cloud computing, 云计算, 45
 code, 代码, 18, 21
 COG properties, 抽象三性质, 206
 combinational circuit, 组合电路, 229, 234
 command-line prompt, 命令行提示符, 65
 comments, 注释, 22
 Compilation, 编译, 21
 compile-time errors, 编译时错误, 23
 Complexity class NP, 算法复杂度的NP类, 191
 Complexity class P, 算法复杂度的P类, 190
 Computability, 可计算性, 132
 computable problem, 可计算, 132
 computational lens, 计算透镜, 47
 computational process, 计算过程, 18
 Computational Thinking, 计算思维, 25, 47
 computer application, 计算机应用, 3, 5
 Computer Science, 计算机科学, 18, 34
 Computer simulation, 计算机模拟, 41
 Computer System, 计算机系统, 21
 computer virus, 计算机病毒, 292
 conditional, 条件语序, 227
 conjunctive normal form, 合取范式, 103
 Connectivity, 连通性, 266, 269
 Consistency, 一致性, 137
 constant, 常数, 68
 constrained, 受限, 207
 Constructive abstraction, 构造性抽象, 29
 constructs, 结构, 73
 consumer computing, 消费者计算, 46
 context, 上下文, 228
 contrapositive, 逆反命题, 111
 control abstractions, 控制抽象, 198, 207, 227
 converse, 逆命题, 110
 correctness, 正确性, 8, 97
 CPU, 中央处理器, 76
 creative expression, 创造性表达, 5
 crossbar, 交叉开关, 274
 cryptography, 密码学, 295
 current directory, 当前目录, 222
 Cyberspace, 赛博空间, 18

D

D flip-flop, D触发器, 235
 data, 数据, 18, 228
 data abstractions, 数据抽象, 198
 data cache, 数据高速缓存, 253
 Data compression, 数据压缩, 289
 data link layer, 数据链路层, 278
 data representation, 数据表示, 200
 data types, 数据类型, 67, 207
 Decidability, 可判定性, 137
 decimal, 十进制, 58
 Decryption, 解密, 295
 denial-of-service attack, 拒绝服务攻击、
 阻断服务攻击, 294
 dereference, 间接引用, 216
 dictionary, 目录, 178
 digital certificate, 数字证书, 298
 digital economy, 数字经济, 36
 digital infinity hypothesis, 数字无穷性假
 说, 8, 39
 digital symbol, 数字符号, 18
 Digital Symbol Manipulation, 数字符号操
 作, 57
 digit, 数位、数字, 208
 directory, 目录, 221
 discretization, 离散化, 57
 disjunctive normal form, 析取范式, 102
 distributed denial-of-service attack, 分布
 式拒绝服务攻击, 294
 Divide-and-Conquer Algorithms, 分而治
 之算法, 153
 DNS, 域名服务, 270
 documentation, 文档化, 72
 domain name, 域名, 272
 dot notation, 点记号, 12
 Dynamic networks, 动态网络, 274
 dynamic programming, 动态规划, 74, 166
 dynamic webpage, 动态网页, 282

E

edges, (网络的)边, 269
 embedded system, 嵌入式系统, 43
 encoding, 建模, 19
 encryption, 加密, 295

enterprise computing, 企业计算, 46
 Entscheidungsproblem, 判定问题, 133
 Evolutionary networks, 演化网络, 274
 exceptions, 异常, 248
 exclusive-or, 异或, 100
 exponent, (浮点数的) 指数部分, 210
 expression, 表达式, 69

F

Fibonacci Computer, 斐波那契计算机, 79, 240
 Fibonacci numbers, 斐波那契数, 26
 File Abstraction, 文件抽象, 221
 file system, 文件系统, 221
 finite automaton, 有限自动机, 123
 Finite states, 有限状态, 130
 firewall, 防火墙, 295
 firmware, 固件, 242
 flip-flops, 触发器, 234
 floating-point number, 浮点数, 212
 FLOPS, 每秒浮点运算, 202
 for loop, for循环, 69, 227
 formatting verbs, 占位符, 67
 full adder, 全加器, 106, 231
 full-duplex, 全双工, 275
 function, 函数, 21, 73, 228

G

gates, 门、门电路, 229
 gateway, 网关, 269
 GDPR, 欧洲数据保护法规, 299
 generalizable, 可泛化, 207
 Gödel's Incompleteness Theorems, 哥德尔不完备定理, 136
 gold metaphor, 38
 Goodstein theorem, 古德斯坦定理, 139
 graph, 图, 269
 graph coloring problem, 图着色问题, 192
 greatest common divisor, 最大公因子, 148
 Greedy Strategy, (设计算法的)贪心策略, 169
 GUI, 图形用户界面, 45

H

halting problem, 停机问题, 133
 Hamiltonian path problem, 汉密尔顿路径问题, 193
 Harvard architecture, 哈佛体系结构, 248
 hash function, 哈希函数, 183
 hash index, 哈希索引, 183
 Hash search, 哈希搜索, 183
 hash table, 哈希表, 183
 hashing, 哈希, 183
 heap, 堆, 228
 hexadecimal, 十六进制, 61
 high-level language program, 高级语言程序, 21
 Hockney's formula, 霍克尼公式, 288
 home directory, 主目录, 222
 homepage, 网站首页, 273
 Host, 宿主机, 268
 HTTP, 超文本传输协议, 273
 HTTPS, 安全超文本传输协议, 273, 298
 Hub, 集线器, 268
 hypertext, 超文本, 44

I

I/O devices, 输入输出设备, 76, 78, 201
 Incomputable Problems, 不可计算问题, 133
 index, 索引, 69, 80, 208
 index register, 索引寄存器, 80
 indirect addressing, 间接寻址, 216
 inference rules, 推理规则, 119
 information and communication technology (ICT), 信息与通信技术, 36
 information hiding principle, 信息隐藏原理, 198
 information society, 信息社会, 37
 information technology, 信息技术, 36
 infrastructure software, 基础软件, 242
 Input, 输入, 146, 147
 Insertion Sort Algorithm, 插入排序算法, 153
 Instance, 实例, 270
 instruction cache, 指令高速缓存, 253

instruction cycle, 指令周期, 245
 Instruction driven, 指令驱动, 76
 instruction pipeline, 指令流水线, 239
 Instruction Register, 指令寄存器, 250
 instruction set, 指令集, 79, 239
 integer, 整数, 213
 Integer Multiplication, 整数乘法, 162
 Interactive, 交互式, 45
 Internet, 互联网、因特网, 266, 271
 interpreter, 解析器, 23
 inverse, 否命题, 110
 IP address, IP地址, 270
 IPv4 addresses, IPv4地址, 271
 IPv6 addresses, IPv6地址, 271
 IR, 指令寄存器, 250
 ISP, 互联网服务提供商, 268
 IT industry, 信息产业, 36
 IT professionals, 信息技术专业人员、计算机科学技术专业人员, 38

K

Keck's law, 凯克定律, 39
 keys, 键, 295
 Kleene algebra axioms, 克莱因代数公理, 107
 Kleene expressions, 克莱因表达式, 107
 Kleene function, 克莱因函数, 109
 Kleene logic, 克莱因逻辑, 107
 Knuth's Characterization of Algorithm, 高德纳算法定义, 147
 Knuth's Test, 高德纳测试, 10, 34

L

latency, 延迟、延时, 288
 liar paradox, 说谎者悖论, 136
 linear search, 线性搜索, 179
 little endian, 小端, 200
 local area network, 局域网, 268
 locality, 局部性, 252
 Logic thinking, 逻辑思维, 31, 97
 loop, 循环, 68
 loop body, 循环体, 69
 loopback domain name, 回环域名, 273
 loopback IP address, 回环IP地址, 273

Lossless compression, 无损压缩, 289
 Lossy compression, 有损压缩, 289

M

machine code, 机器代码, 即二进制代码, 21
 Magic numbers, 魔数, 72
 main memory, 内存, 76
 make, Go语言提供的make函数, 214
 Manipulation, 操作、操纵, 18
 MAR, 内存地址寄存器, 250
 Matrix Multiplication, 矩阵乘法, 163
 MDR, 内存数据寄存器, 250
 Mechanical Theorem Proving, 120
 memory cell, 内存单元, 234
 Merge Sort Algorithm, 归并排序算法, 155
 messages, 消息, 276
 metadata, 元数据, 222
 Metcalfe's law, 梅特卡夫定律, 290
 metropolitan area network, 城域网, 268
 middleware, 中间件, 242
 Mobile Internet, 移动互联网, 45
 modeling, 建模, 19
 Modularity, 模块化, 8
 modules, 模块, 198, 205
 Modularization, 模块化, 229
 Moore's law, 摩尔定律, 39
 Morris worm, 莫里斯蠕虫, 301
 Motherboard, 主板, 78
 multicore, 多核, 78
 Multimedia, 多媒体, 45
 multiplexer, 多路选择器, 233

N

namespace, 名字空间, 270
 naming, 命名, 270
 negation, 取非, 111
 negation properties, 针对量词的取非性质, 116
 network, 网络, 45, 267
 Network effect, 网络效应, 290
 network layer, 网络层, 278
 Network Thinking, 网络思维, 266

Network Topology, 网络拓扑, 274
 networking devices, 组网设备, 268
 nodes, 节点, 267
 Nordhaus's law, 诺德豪斯定律, 39
 NP-complete, NP完全, 193

O

object, 对象, 285
 offset, 偏移量, 80
 operations, 操作、运算, 18
 Output, 输出, 146, 147
 overflow, 溢出, 33

P

Packet switching, 分组交换、包交换, 276
 packets, 分组、消息包, 276
 Palindromes, 回文, 123
 parallel computing, 并行计算, 255
 parity, 奇偶性, 112
 peak speed, 峰值速度, 254
 Peano Arithmetic, 皮亚诺算术, 137
 peering interface, 对等接口, 280
 persistence, 持久性, 221
 phishing, 钓鱼网站、钓鱼邮件, 294
 physical layer, 物理层, 278
 pixel, 像素, 222
 Pointer, 指针, 216
 positional number systems, 位置计数系统、按位记数制, 208
 Postel's Robustness Principle, , 245
 Precedence, 优先权, 227
 predicate, 谓词, 115
 Predicative Logic, 谓词逻辑, 115
 prime factorization problem, 素数分解问题, 297
 Princeton architecture, 普林斯顿体系结构, 248
 Principle of Harmony, 扬雄和谐原理, 47
 privacy, 隐私, 298
 private key, 私钥, 295
 Problem Solving, 解题, 18
 process, 进程, 203
 processor, 76
 program, 程序, 18

program counter, 程序计数器, 80
 program cycle, 程序周期, 245
 program status register, 程序状态寄存器, 80
 Programming, 程序设计、编程, 19
 proposition, 命题, 99
 Propositional Logic, 命题逻辑, 99
 protocol stack, 协议栈, 266, 276
 public key, 公钥, 295
 public-key encryption, 公钥加密, 295

Q

quantifiers, 量词, 115
 quicksort, 快速排序, 175

R

Randomization Strategy, 随机化策略, 175
 real computer, 真实计算机, 3, 5
 reducible, 可归约, 133
 redundancy, 冗余, 281
 Reed's law, 里德定律, 290
 relative file names, 相对文件名, 222
 representation, 表示, 58
 Responsible Computing, 负责任的计算, 288, 293
 RFCs, 互联网标准, 270
 ripple-carry adder, 波纹加法器, 231
 root directory, 根目录, 222
 rounding error, 舍入误差, 30
 routers, 路由器, 268
 RSA method, 公钥加密的RSA方法, 296
 runtime errors, 运行时错误, 23
 Russell's paradox, 罗素悖论, 136

S

scientific computing, 科学计算, 45
 seamless execution, 无缝执行, 198, 205
 seamless transition, 无缝衔接, 243
 Search Algorithms, 搜索算法, 178
 search engine, 搜索引擎, 275
 Selection, 选择, 227
 Sequencing, 顺序, 227
 sequential circuit, 时序电路, 234

sequential computers, 串行计算机, 255
 Serial adder, 串行加法器, 236
 Serial execution, 串行执行, 76
 server, 服务器, 268
 service interface, 服务接口, 280
 shell, (操作系统的)外壳, 23, 66
 significant, (浮点数的)尾数部分, 210
 Simulation, 模拟, 41
 Single Factor Optimization, 单因素优化, 158
 slice, 切片, 73, 75, 213
 software stack, 软件栈, 242
 Sorting Problem, 排序问题, 149
 spams, 垃圾邮件, 294
 Spatial locality, 时间局部性, 202
 speedup, 加速比, 249
 spyware, 间谍软件, 295
 stable matching problem, 稳定匹配问题, 170
 stack, 栈, 203, 228
 Standard Error, 标准错误, 66
 Standard Input, 标准输入, 66
 Standard Output, 标准输出, 66
 state circuit, 状态电路, 234
 state transition, 状态转移, 79
 statement, 语句, 21
 state-transition diagram, 状态转移图, 121
 state-transition table, 状态转移表, 122
 Static networks, 静态网络, 274
 Steps, 步骤, 146, 147
 stored program architecture, 存储程序计算机体系结构, 76
 Strassen's algorithm, 施特拉森算法, 164
 string, 符号串, 68, 69
 subtractor, 减法器, 236
 supercomputers, 超级计算机, 202
 sustained speed, 实际速度, 254
 Switch, 交换机, 268
 symmetric-key encryption, 对称加密, 295
 synchronous sequential circuits, 同步时序电路, 239
 system heterogeneity, 系统异构性, 205
 system organization, 系统组成, 205
 system scale, 系统规模, 205
 system software, 系统软件, 242
 system variation, 系统变异, 205

Systems thinking, 系统思维, 31, 198

T

TCP/IP protocol stack, TCP/IP协议栈, 278
 Temporal locality, 时间局部性, 202
 text, 文本、(进程的)代码段, 63, 228
 Time complexity, 时间复杂度, 152
 TLS, 传输层安全协议, 298
 topology, 拓扑, 274
 transport layer, 传输层, 278
 Trojan horses, 特洛伊木马, 295
 Truth table, 真值表, 100
 Turing computable, 图灵可计算, 132
 Turing machine, 图灵机, 120, 126
 Turing Test, 图灵测试, 46
 Turing's problem, 图灵问题, 45
 two's complement, 二进制补码, 62
 type cast, 类型转换, 70

U

uint8, 8位无号数, 69, 214
 UKA units, 知行合一知识点, 34
 Unicode, 统一码、万国码, 207
 unsigned integer, 无号整数、自然数, 62
 URL, 统一资源定位地址, 273
 usage mode, 使用模式, 44
 User Experience, 用户体验, 288
 UTF-8, 统一码转换格式-8, 213

V

variable, 变量, 68
 vertex, 图的顶点, 269
 Viral marketing, 病毒性市场, 292
 virtual things, 虚拟事物, 41
 virtual worlds, 虚拟世界, 41
 von Neumann architecture, 冯诺依曼体系结构, 76
 von Neumann bottleneck, 冯诺依曼瓶颈, 252
 von Neumann's Exhaustiveness Principle, 冯诺依曼穷尽原理, 247
 VPNs, 虚拟私有网, 295

W

web address, 万维网地址, 273
Web over Internet Stack, 由万维网和因特网组成的协议栈, 276
web resource, 万维网资源, 273
wide area network, 广域网, 268
WiFi router, WiFi无线路由器, 302
Wonder of Cyberspace, 赛博之妙、虚拟之妙, 41
Wonder of Exponentiation, 指数之妙, 39

Wonder of Simulation, 模拟之妙, 41
word, 字, 58
word length, 字长, 34, 58
World Wide Web, 万维网, 273
worst case, 最坏情况, 177

Y

Yang's Cycle Principle, 扬雄周期原理, 244